


Drive Kit MCP-220-81506-0N



Note: Image above may show a varied configuration of optional parts. Please refer to parts list for standard parts included.

Key Features

1. 12G 2.5" Slim DVD Size Drive Kit
2. 1x2.5" Hot-swappable SAS3/SATA3 Slim HDD (up to 9.5mm)
3. Drive Activity and Status(Fail) LED Support
4. SGPIO and 6G data cables are included
5. Optional 12G cable CBL-SAST-0699 (internal mini SAS HD to 4 SAS/SATA) available

Available Colors

Black



Downloads

Manual



Specifications

Specifications

Dimensions ■ 5.05"W x 1.6"H x 6.3"D (128mm x 41 x 160mm)

Gross Weight ■ 1 lbs (0.45 Kgs)

Available Colors ■ No Paint

Occupancy ■ 1 x 2.5" drive bays

Capacity ■ 1 x 2.5" hot-sw ap SAS/SATA hard drives

Cooling Subsystem ■ N/A (via chassis fan)

System Monitoring ■ Drive Activity LED and Failure LED

Compatibility

Chassis □ SC815, SC813, SC818, SC819, SC119, SC113, SC811, SC721 Series

□ SC512, SC219, SC213, SC828, SC825, SC825M, SC823 Series

□ SC836 Series

Parts List

Standard Parts List

	Part Number	Qty	Description
HDD Backplane	BPN-SAS3-FDDTQ	1	1-Port 12G Backplane for 1x2.5" SAS/SATA SSD up to 9.5mm (PORT #0)
HDD Tray	MCP-220-81508-0N	1	2.5-in 7mm / 9.5mm Hot-sw ap HDD tray (for slim DVD/floppy kit)
Cable	CBL-CDAT-0662	1	8 pin to 8 pin round SGPIO cable, 61.5cm, 28AWG, pinout 1-1
Cable	CBL-0484L(55cm)	1	55cm 30AWG SATA S-S cable

Optional Parts List

	Part Number	Qty	Description
Cable	CBL-SAST-0699(75cm)	--	Internal 12G mini SAS HD to 4 SAS/SATA, 75/75/90/90cm w /75cm SB, S. 30AWG,RoHS/REACH
Cable	CBL-0210L	--	REQUIRED for 818/819/815/813: FDD, DVD, 4 pin power adapter cable, 8cm. 24AWG